Лихорадка Ласса



ФКУЗ Ростовский – на – Дону противочумный институт Роспотребнадзора
Лаборатория санитарной охраны территории
Составитель: Рыжова А.А.



Лихорадка Ласса

Особо опасная инфекционная болезнь, общая для человека и животных. Характеризуется лихорадкой, интоксикацией и кровотечениями и кровоизлияниями, нарушениями со стороны центральной нервной системы.

С момента заражения до появления первых признаков заболевания проходит- от 3 до 21 суток, чаще 7-10 суток.

Источник инфекции: грызуны (многососковая крыса).



Лихорадкой Ласса можно заразиться при:

Пребывании в странах Западной и Центральной Африки (в сельской местности).

Уходе за больным (или контакт) лихорадкой, прибывшим из-за рубежа.

При контакте с трупом, умершего от лихорадки Ласса.

Участии в ритуале похорон умершего от лихорадки прибывшего из Западной и Центральной Африки.

Основные симптомы лихорадки Ласса


Боли в мышцах


Боль в горле


Тошнота, рвота


Судороги


Конъюнктивит


Гиперемия лица

Профилактика заболевания заключается в:

Борьбе с проникновением в жилища крыс - источников инфекции. Особенно следует защищать предметы обихода и пищевые продукты от загрязнения мочой грызунов или пылью, содержащей их экскременты.

Специфическая профилактика не разработана.



LASSA FEVER



ФКУЗ Ростовский – на – Дону противочумный институт Роспотребнадзора
Лаборатория санитарной охраны территории
Составитель: Рыжова А.А.



Lassa fever

A particularly dangerous infectious disease, common to man and animals. It is characterized by fever, intoxication, and bleeding and hemorrhage, disorders of the central nervous system.

The period from the moment of infection until the first signs of the disease is from 3 to 21 days, more often 7-10 days.

Source of infection: rodents (mnogozonovaya rat).



Lassa fever can be transmitted during:

Visiting countries of West and Central Africa (the rural area).
When nursing the patient (or contacting) with fever who has arrived from abroad.
Through contact with a corpse of a person, who died from Lassa fever.

Participation in the funeral ritual of a person came from West and Central Africa and died from fever.

The main symptoms of Lassa fever

Muscle pain **Sorethroat** **Nausea, vomiting**



Convulsions **Conjunctivitis** **Hyperemia**



Prevention of the disease:

Don’t let rat - sources of infection – to penetrate into house. Especially it is necessary to protect household items and foods in order to prevent its contamination with urine and feces of rodents or with dust. Specific prevention to be developed.

